



APPLICATION SHEET

LO PUMPS FOR ENGINE, GEARBOX

PUMPS USED:


- BF, BMF and BFC pump
- BFC with AISI Casing
- J with AISI Casing

Fluid: OIL

Pressure : up to 20 bar

Seal : lip o mechanical seal

According to : ATEX and Marine design



LO PUMPS FOR SKID, TEST BENCHES, COMPRESSORS AND CHILLERS

PUMPS USED:

- BF, BMF and BFC pump
- BFC with AISI Casing
- J with AISI Casing

Fluid: OIL

Pressure up to 20 bar

Seal : lip o mechanical seal

According to : API 676, Atex, Marine design



PU MOLDING MACHINE


PUMPS USED:

- BMF, BFC, BFC pumps
- BFC with magnetic coupling
- B with heating chamber

Fluid: poliol, Isocynate

Pressure up to 12 bar

Special seal for the application in EPDM,
Viton or Magnetic coupling



BITUMEN AND CEMENT INDUSTRY

PUMPS USED:

- BMF,BFC
- B pumps
- BC with heating chamber

Fluid: Additive, Bitumen and Asphalts

Pressure up to 12 bar

Seal : packing seal or special seal for the application



CHEMICAL DOOSING, BLENDING AND STORAGE SYSTEM

- PUMPS USED:
- All the pumps
- Pumps with heating chamber
- Pumps with AISI casing

Fluid: Addittives, Acid, Detergent, Parfumes, Paintings, Varnish, Silicon

Pressure up to 20 bar

Seal : special seal for the application or magnetic coupling



FUEL TRANSFER AND FEEDER SYSTEM

PUMPS USED:

- BFM,BFC
- IF pumps
- B with heating chamber
- J

Fluid: Fuel, Diesel, MGO, JET fuel

Pressure up to 25 bar

Seal : mechanical seal or magnetic coupling



FOOD AND PET FOOD INDUSTRY

PUMPS USED:

- BMF,BFC
- B pumps
- B with heating chamber
- J

Fluid: Molasses, Oils, Juices, Glucose, Chocolate, Honey, Margarine, Melted greases, palm oil

Pressure up to 20 bar

Seal : mechanical seal or magnetic coupling





FIRE FIGHTING PLANTS

PUMPS USED:

- MBM,B pumps

Fluid: FOAM

Pressure up to 12 bar

Seal : dedicated mechanical seal for the application



SHIPBUILDING AND SHIPOWNER

PUMPS USED:

- BMF, BFC
- B pumps

Fluid: LUBE OIL, FUEL, FOAM

Pressure up to 12 bar

Seal : mechanical seal



PAINTING PRODUCTION AND SYSTEM

PUMPS USED:

- BMF, BFC,
- B pumps
- B with heating chamber

Fluid: LUBE OIL, FUEL, FOAM

Pressure up to 12 bar

Seal : special mechanical seal for the application



THANK YOU for your attention!
DON'T HESITATE TO CONTACT US!

EMAIL: info@gvrpompe.com

PHONE: +39 02 9072 55 77

VISIT US:

gvrpompe.com



GVR